



February 07, 2020

To: Prospective Quoters

Subject: Request for Quotations number **19H08020Q0006**

Enclosed is a Request for Quotations (**RFQ 19H08020Q0006 for the Supply and Installation of IT Equipment & Components**). If you would like to submit a quotation, follow the instructions in Section 3 of the solicitation, complete the required portions of the attached document, and submit it to the address shown on the Standard Form 18 that follows this letter.

A Site Visit has been scheduled for **February 12, 2020 at 09:00 a.m.** at Anillo Periferico, Aldea El Ocotal. The full address will be provided only to the participants. To attend, please submit full names and ID numbers and send them to: proctgu@state.gov by **2:00 p.m. on February 10, 2020 making reference to RFQ 19H08020Q0006.**

In order for a quotation to be considered, you must also complete and submit the following:

1. Standard Form SF-18 (blocks 11, 12, 13, 14, 15 and 16).
2. Pricing Section
3. Instructions to Offerors

Your quotation must be submitted on or before **February 21, 2020 at 10:00 a. m.** in a sealed envelope marked as follows:

Quotation Enclosed-RFQ 19H08020Q0006
Attention: Kevin Brendle, Contracting Officer
U. S. Embassy in Tegucigalpa, Col. San Carlos Portón 3

Documents received after this deadline will be declined and may not be considered.

The U.S. Government intends to award a contract to the responsible company submitting an acceptable quotation at the lowest price. We intend to award a contract/purchase order based on initial quotations, without holding discussions, although we may hold discussions with companies in the competitive range if there is a need to do so.

The contractor must have an Active Status in the System Award Management (SAM) at the time of submission of the quote.



Sincerely,

Kevin Brendle
Contracting Officer

**REQUEST FOR QUOTATION
(THIS IS NOT AN ORDER)**

THIS RFQ IS IS NOT A SMALL BUSINESS SET-ASIDE PAGE 1 OF 50 PAGES

1. REQUEST NO. 19H08020Q0006	2. DATE ISSUED 02/07/2020	3. REQUISITION/PURCHASE REQUEST NO. PR8870713	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
---------------------------------	------------------------------	--	--	--------

5a. ISSUED BY
AMERICAN EMBASSY TEGUCIGALPA
GSO, ACQUISITIONS UNIT, ATTN: GSO
TEGUCIGALPA
HONDURAS

6. DELIVER BY (Date)
06/21/2020

5b. FOR INFORMATION CALL (NO COLLECT CALLS)

NAME Sara L. Zepeda	TELEPHONE NUMBER		7. DELIVERY <input type="checkbox"/> FOB DESTINATION <input checked="" type="checkbox"/> OTHER (See Schedule)
	AREA CODE	NUMBER 2236-9320 ext.4485	

8. TO:

a. NAME	b. COMPANY	9. DESTINATION a. NAME OF CONSIGNEE AMERICAN EMBASSY TEGUCIGALPA
---------	------------	--

c. STREET ADDRESS	b. STREET ADDRESS LA PAZ AVE., ATTN: GSO
-------------------	---

d. CITY	e. STATE	f. ZIP CODE	c. CITY APO AA	d. STATE XX	e. ZIP CODE 34022
---------	----------	-------------	-------------------	----------------	----------------------

10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5a ON OR BEFORE CLOSE OF BUSINESS (Date)
02/21/2020

IMPORTANT: This is a request for information and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5a. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or service. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotation must be completed by the quoter.

11. SCHEDULE (Include applicable Federal, State and local taxes)

ITEM NO. (a)	SUPPLIES/ SERVICES (b)	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)
SEE LINE ITEMS					

12. DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS (%)	b. 20 CALENDAR DAYS (%)	c. 30 CALENDAR DAYS (%)	d. CALENDAR DAYS	
				NUMBER	PERCENTAGE

NOTE: Additional provisions and representations are are not attached.

13. NAME AND ADDRESS OF QUOTER			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. DATE OF QUOTATION
a. NAME OF QUOTER			16. SIGNER		b. TELEPHONE
b. STREET ADDRESS					
c. COUNTY			a. NAME (Type or print)		AREA CODE
d. CITY			e. STATE		f. ZIP CODE
			c. TITLE (Type or print)		NUMBER

TABLE OF CONTENTS

Section 1 - The Schedule

- SF 18 cover sheet
- Continuation To SF-18, RFQ Number **19H08020Q0006**, Prices
- Continuation To SF-18, RFQ Number **19H08020Q0006**, Schedule of Supplies/Services, Block 11(b) Description/Specifications/Work Statement and Drawings: A, A1 & A2

Section 2 - Contract Clauses

- Contract Clauses
- Addendum to Contract Clauses - FAR and DOSAR Clauses not Prescribed in Part 12

Section 3 - Solicitation Provisions

- Solicitation Provisions
- Addendum to Solicitation Provisions - FAR and DOSAR Provisions not Prescribed in Part 12

Section 4 - Evaluation Factors

- Evaluation Factors

SECTION 1 - THE SCHEDULE
CONTINUATION TO SF-18
RFQ NUMBER **19H08020Q0006**
PRICES

I. Scope of Services

The Contractor shall Supply and Install IT Equipment & Components requested by the U.S. Embassy Tegucigalpa to the following address:

U.S. Embassy Warehouse
Ave. La Paz, Colonia Palmira
Edificio Vitrales, Blvd. Los Proceres

Installation is required at Anillo Periferico, Aldea El Ocotal. Honduras. (*exact address will be provided to site visit participants*)

- This is a firm-fixed price type of purchase order.
- ***The part numbers and brand names are provided as reference in order to comply with specifications required, the vendor may quote all items of brand name or equal to the part numbers below.***
- The prices listed below shall include all labor, materials, overhead, profit, and transportation necessary to deliver the required items to the American Embassy. No additional sums will be payable on account of any escalation in the cost of materials, equipment or labor, or because of the Contractor's failure to properly estimate or accurately predict these prices or difficulty of achieving the results required by this contract. Nor will the contract price be adjusted on account of fluctuations in the currency exchange rates.
- All prices are in USD

II. Pricing

	Description	Part Number (brand name or equal to)	QTY	Unit Price \$	Total \$
VIDEO EQUIPMENT					
1	Video Wall Display UDE-B Series 55"	LH55UDEBLBB/NG	8.00		
2	98" Interactive Display, Windows Operating System, I5 Processor, 4GB RAM, 500GB HD	LE086MD	1.00		
3	AIRMEDIA visual digital presentation system	AM-300	1.00		

4	Table connectivity plates, Cable Cubby 500 AC+USB 224 US Retractor Series/2 HDMI Retractor Series/2 VGA Retractor Filler Module	CABLE CUBBY 500	8.00		
5	Video Wall Rack Mount / Support	WMN-55VD/ZA	8.00		
VIDEO PROCESSING AND NETWORK EQUIPMENT					
6	32 x 32 Matrix/Modular Switch W/EU CORD ATEN	VM3200	1.00		
7	4-Ports 4K HDMI Entry Card	VM7814	4.00		
8	4-Ports 4K HDMI Exit card	VM8814	4.00		
9	4-Ports HDBaseT Entry Cards RGB	VM7104	1.00		
10	Entry Card DVI 4 ports	VM7604	1.00		
11	Control System ATEN, 2 Users	VK2100K2-AT-A	1.00		
12	Transmitter HDBaseT HDMI and VGA with wall plate EE. UU	VE2812ust	3.00		
SOUND SYSTEM					
13	Audio Amplifier	SPA4-100	1.00		
14	Digital Audio Control Console	TesiraFORTÉ AVB VT	1.00		
15	Ceiling MIC	TCM-1	2.00		
16	Ceiling MIC System	TCM-1EX	4.00		
17	Switch MOTU for AVB channels, 5 ports	AVB SWITCH	1.00		
18	Injector POE+	B00B4H00EO	2.00		
19	Ceiling speaker	AD-C6T-WH	8.00		
20	Gooseneck microphone / integrated base	CVG18D	10.00		
21	Digital Wireless vocal set	ew D1-835-S	1.00		
22	Digital Wireless Lavalier	ew D1-ME 2	1.00		
COMPUTER EQUIPMENT					
23	IPad with control base and integrated graphics	IPAD – AIR	1.00		
24	Work Station / tower	BCDSF02P-GW- I7-P1000	3.00		
CABLES, DATA, ACCESORIES					
25	HDMI 50ft	26-650-75	8.00		
26	RGB 50 ft	26-112-03	8.00		

27	HDMI 15 ft	C-HIGH	13.00		
28	Display port to HDMI	ANBEAR	4.00		
29	CAT5e Cable Spool	CAT6	3.00		
30	TSJ 3/12	CG MATERIALS	5.00		
31	Cable 3.5 mm	CG MATERIALS	1.00		
32	Speaker Cabling 12	CG MATERIALS	3.00		
RACK MOUNT COMPONENTS					
33	ERK Series Rack, 40 RU, 25"D, w/o Rear Door	ERK-4025LRD	1.00		
34	Vented Front Door, 40 RU Racks, 64% Open	LVFD-40	1.00		
35	Vented Top, 64% Open, ERK Series	ERK-LVT	1.00		
36	Leveling Feet, Isolating	LF-ISO	4.00		
37	Rack-rail, 10-32, 40 RU, ERK Series	ERK-RR40	1.00		
38	Drawer, 3 RU, Anodized	D3	1.00		
	Vent Panel, 1 RU, Perforated, 64% Open Area	VT1	5.00		
	Vent Panel, 1 RU, Perforated, 64% Open Area	VT2	3.00		
41	Power Strip, 16 Outlet, 20A, Hardwired	PDT-2X820	1.00		
42	Rackmount Power, 9 Outlet, 20A, Basic Surge	PD-920R	1.00		
43	Lace Strip, 40 RU, 4.75"W, w/Tie Posts, 1 pc.	LACE-40-OW-A	1.00		
44	Lace Bar, 6" Offset, L-Shaped, Single pc.	LB-6A-A	6.00		
45	Lace Bar, 2" Offset, L-Shaped, Single pc.	LB-2A-A	4.00		
46	Brush Grommet Panel, 2 RU	BR2	1.00		
47	Plastic Cable Manager, 1 RU, 2"D	PHCM-1-2	2.00		
48	Utility Rack-shelf, 1 RU, 10.4"D, Vented	U1V	2.00		
49	Shelf Mount Power, 8 Outlet, 15A, Basic Surge	PD-815SC-PBSH	1.00		
50	Fan Panel, 100 CFM, 27dB, w/ Remote Thermistor	UQFP-4RT	1.00		
51	Rackmount Light, 1 RU, Power Coated	LT-1R	1.00		

52	Additional Keys, Standard Front Doors	SFD-KEY	1.00		
53	Cable Management Strap, 12 pc.	TW12	4.00		
54	Rack-screws, 10-32, Truss-Head, 100 pc.	HP	1.00		
NETWORK COMPONENTS					
55	Access point	UAP-AC-PRO-US	1.00		
56	UPS - 5000 watts	SRT5KRMXLT	2.00		
Installation and Walls Construction					
57	Installation of audiovisual equipment, illumination system, structured cabling for electrical connections	N/A	1.00		
58	Construction and Installation of small Rack Room with AC Unit	N/A	1.00		
59	Installation of Protected UPS Electrical System	N/A	1.00		
60	1 Year Maintenance and Services	N/A	1.00		
TOTAL COST					\$

CONTINUATION TO SF-18
RFQ NUMBER **19H08020Q0006**
SCHEDULE OF SUPPLIES/SERVICES, BLOCK 20
DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

I. Purchase of necessary telecommunications devices with components and installation is required per detailed list of item specifications described below:

TECHNICAL SPECIFICATIONS

NOTE: ALL ITEMS SHALL COME WITH AT LEAST A 1-YEAR WARRANTY AND GUARANTEE OF QUALITY.

VIDEO EQUIPMENT

001 Video Wall Display 55" – Samsung UDE-B Series – Part Number - LH55UDEBLBB/NG (BRAND NAME OR EQUAL)

QUANTITY: 8.00

SPECS:

Diagonal Size	55"
Panel Type	D-LED DID
Resolution	1920 x 1080
Pixel Pitch	(HxV) 0.63 mm (H) x 0.63 mm (V)
Active Display Size	(HxV) 1,209.6 x 680.4 mm
Contrast Ratio	4,000:1
Viewing Angle	(H/V) 178 / 178
Response Time	8 ms
Display Color	8 bit - 16.7 M
Color Gamut	72%
H-Scanning Frequency	30 kHz ~ 81 kHz
Maximum Pixel Frequency	148.5 MHz
V-Scanning Frequency	48 Hz ~ 75 Hz
Brightness	500 cd/m ²
Dynamic Contrast Ratio	10,000:1

002 Multipurpose Interactive Display 98" – IQ-Touch – Part Number - LE086MD (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Diagonal Size	98"
LED Light Source	Backlight
Resolution	3840 / 2160

Brightness	500cd / m2
Contrast Ratio	5000:1
Response Rate	5ms
Pixels Dot Distance (mm)	0.562* 0.562
Refreshing Frequency	120Hz
Viewing Angle	178° (H), 178° (V)
Backlight Life Time (typ) / (min)	60,000 hrs
Color Saturation	70%
Display Area (mm)	2158.8*1214.4
Depth of Color	10bit
Voltage	100-240V, 50-60 Hz
Maximum Power	≤500W
Standby Power	<0.5W
Housing Material	Metal
Frame Color	Black
VESA Hole Position	4-M8 screw hole 800 / 600mm

003 Digital Visual Presentation System – CRESTRON Air Media - Part Number – AM300 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Depth	1.36 in
Height	7.93 in
Width	9.29 in
Regulatory Compliance	HDCP
DC Voltage	24 Volts
Input Signal Types	AirMedia, DM 8G+, HDMI (Dual-Mode DisplayPort compatible)
Output Signal Types	HDMI
DM Input Formats	Up to 8 channel LPCM
HDMI Input Formats	2 channel LPCM
HDMI Output Formats	Up to 8 channel LPCM
Power over DM (PoDM) Sourcing	IEEE 802.3at Type 1 compliant PoDM PSE (Power Sourcing Equipment), supplies up to 15.4 Watts (Class 0-3) to power one PoDM PD (Powered Device)
Input Signal Types	AirMedia, DM 8G+, HDMI (DVI and Dual-Mode DisplayPort compatible)
Output Signal Types	HDMI (DVI compatible)
Output Resolutions (4K)	1920x1080 at 60Hz (1080p60), 3840x2160 at 30Hz (UHD)
Active Power	24 Watt
Certifications	CE, FCC
Wireless	Yes

Operating Temperature (Maximum)	104 F
Operating Temperature (Minimum)	32 F
Current Draw	2.50 Amps
AC Voltage (Minimum)	100 Volts
AC Voltage (Maximum)	240 Volts
COMMUNICATIONS	Ethernet: 10/100Mbps, auto-switching, auto-negotiating,
	auto-discovery, full/half duplex, TCP/IP, UDP/IP, DHCP, SSL, TLS, SSH, SFTP (SSH File Transfer Protocol), IEEE 802.1X, Active Directory authentication, HTTPS web browser setup and XiO Cloud client
AirMedia	(Via Ethernet) IPv4, mDNS, TLS, AES
USB Host	USB 2.0 for optional Crestron AV Bridge (model ZUMMESH-AVBRIDGE sold separately) to enable wireless keypad control and occupancy sensing
USB Device firmware	USB 2.0 for computer console (installer setup and update)
RS-232 with	2-way display device control up to 115.2k baud hardware and software handshaking
IR/Serial 1.1MHz or	1-way display device control via infrared up to serial TTL/RS-232 (0-5 Volts) up to 19.2k baud
DigitalMedia	DM 8G+, HDCP 1.4 or 2.2, EDID, Ethernet, PoDM Sourcing
HDMI Input	HDCP 1.4, EDID
HDMI Output	HDCP 1.4 or 2.2, EDID, CEC
CONSOLE device	(1) Micro-USB Type B connector, female, USB 2.0 port for computer console (installer setup), 6ft (1.83 m) USB Type A to Micro-B cable included
IR	(1) 4-pin 3.5mm detachable terminal block,
IR/Serial	output port for display device control, IR output up to 1.1MHz, 1-way serial TTL/RS-232 (0-5 Volts) up to 19200 baud
COM Bidirectional	(1) 5-pin 3.5mm detachable terminal block, RS-232 port for display device control, Up to 115.2k baud, hardware and software handshaking support
LAN	(1) 8-pin RJ45 connector, female, 10Base-T/100Base-TX Ethernet port
HDMI INPUT	(1) HDMI Type A connector, female, HDMI digital

HDMI OUTPUT	video/audio input, (DVI and Dual-Mode DisplayPort compatible) (1) HDMI Type A connector, female, HDMI digital video/audio output, (DVI compatible)
USB port for	(1) USB Type A connector, female, USB 2.0 host
DM IN 8G+ input	Crestron AV Bridge (ZUMMESH-AVBRIDGE sold separately) (1) 8-pin RJ45 connector, female, shielded, DM
24VDC 2.5A power	and PoDM PSE port (1) 2.1 x 5.5mm DC power connector, 24 Volt DC
Ground	input, PW-2420RU power pack included (1) 6-32 screw, Chassis ground lug

004 Cable CUBBY - Part Number CUBBY-500 (BRAND NAME OR EQUAL)

QUANTITY: 8.00

SPECS:

Dimensions

Top plate (outer rim)	6.38" W x 6.38" D (162 mm W x 162 mm D)
Surface cut - out (inside rim)	5.75" W x 5.75" D (146 mm W x 146 mm D)
Enclosure depth	6.46" H (164 mm H)

005 Video Rack Mount – Samsung – Part Number - WMN-55VD/ZA (BRAND NAME OR EQUAL)

QUANTITY: 8.00

SPECS:

VESA compatibility	600x400, 400x600, 400x400
SBB/PIM compatibility	Supported
Touch Overlay compatibility	Not Supported
Installation orientation	Landscape and Portrait
Dimension	(W*H*D, mm) 1213.0 x 539.8mm (Landscape), 684.0 x 539.8mm (Portrait)
Weight (kg)	11.3 kg
Minimum wall thickness (mm)	39.9mm
Max load (kg)	29.0 kg
Recommended Usage	Standalone
Maintainability	Push-Pull type
Tilt/Swivel	N/A

VIDEO PROCESSING AND NETWORK EQUIPMENT

006 Modular Matrix Switch 32 x 32 – ATEN - Part Number – VM3200 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Board Input	8 x Slot
Board Output	8 x Slot
Video Input	Interfaces
Max. Data Rate	15.2 Gbps (3.8Gbps per Lane)
Control Connector	RS-232
Serial Control Pin Configurations	1 x DB-9 Female (Black)
Baud Rate	Pin2 = Tx, Pin 3=Rx, Pin 5= Gnd
Parity	19200, Data Bits:8, Stop Bits:1,
Flow Control	No
RS-485/RS-422 Connector	No
Ethernet Connector	1 x Captive Screw Connector, 5 Pole
EDID Settings (EDID)	1 x RJ-45 Female
	EDID Mode: Default / Port1 / Remix / Customized
	Wizard support)
Power	1 x 3-Prong AC Socket
Maximum Input Power Rating	100-240 VAC; 50-60Hz; 1.0A
Power Consumption	800W (Max.)
Operating Temperature	0 - 40°C
Storage Temperature	-20 - 60°C
Humidity	0 - 80% RH, Non-Condensing
Housing Metal Dimensions	(L x W x H) 48.20 x 47.19 x 39.90 cm (18.98 x
	18.58 x
	15.71 in)

007 VanCryst 4K HDMI Input Board Expansion Module – ATEN - Part Number VM7814 (BRAND NAME OR EQUAL)

QUANTITY: 4.00

SPECS:

Humidity Range Operating	0 - 80% (non-condensing)
Max Operating Temperature	104 °F
Min Operating Temperature	32 °F
Connector Type	19 pin HDMI Type A / 4ea
HDMI input Connector Type	5 pin terminal block
Compliant Standards	CEC, RoHS, HDCP 2.2
Data Link Protocol	HDMI

Data Transfer Rate	10.2 Gbps
Additional Features	3D support, 4K resolution support, Cable test, EDID
	Expert, Full HD (1920 x 1080) streaming video support, HD (1280 x 720) streaming video support, HDCP compliant
Power Consumption Operational	4.45 Watt
Depth	9.4 in
Height	0.9 in
Weight	19.75 oz
Width	13.9 in
Maximum data rate Value	10.2 Gbps
Maximum data rate (per lane) Value	3.4 Gbps
Pixel clock Value	340 MHz

008 4-Port 4K HDMI Output Board with Scaler– ATEN - Part Number VM8814 (BRAND NAME OR EQUAL)

QUANTITY: 4.00

SPECS:

Interfaces	4 x HDMI Type A Female (Black)
Impedance	100
Max. Distance	Up to 15m
Max. Data Rate	10.2 Gbps (3.4 Gbps Per Lane)
Max. Pixel Clock	340 MHz
Compliance	HDMI (3D, Deep Color, 4K) HDCP 2.2 Compatible Consumer Electronics Control (CEC)
Max. Resolution	4096x2160/3840x2160@60Hz (4:2:0); 4096x2160/3840x2160@30Hz (4:4:4)
Output type:	4 x Captive Screw Connector, 5 pole * Audio signal stereo, balanced/unbalanced.
Power Consumption	20W:94
Operating Temperature	0 - 40°C
Storage Temperature	-20 - 60°C
Humidity	0 - 80% RH, Non-Condensing
Housing	Metal
Weight	0.65 kg (1.43 lb)
Dimensions	(L x W x H) 35.20 x 23.80 x 2.33 cm (13.86 x 9.37 x 0.92 in.)

009 4 port VGA Input Board – ATEN - Part Number - VM7104 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Humidity Range Operating	0 - 80% (non-condensing)
Max Operating Temperature	104 °F
Min Operating Temperature	32 °F
Compatibility	PC
Connector Type	HD-15
Gender	Female
Type	VGA
Connector Type	DB-9
Type	Serial
Type	Audio
Type	Ethernet
Type	RS-232/422/485
Connectivity Technology	Wired
Power Consumption Operational	7.1 Watt
Depth	13.9 in
Height	0.9 in
Weight	19.75 oz
Width	9.4 in
KVM Max Supported Video Bandwidth	300 MHz
KVM Max Supported Video Resolution	1920 x 1200

010 4-port DVI input board – ATEN - Part Number - VM7604 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Humidity Range Operating	0 - 80% (non-condensing)
Max Operating Temperature	104 °F
Min Operating Temperature	32 °F
Compatibility	PC
Connector Type	HD-15
Gender	Female
Type	VGA
Connector Type	DB-9
Type	Serial
Type	Audio
Type	Ethernet
Type	RS-232/422/485
Connectivity Technology	Wired

Power Consumption Operational	7.1 Watt
Depth	13.9 in
Height	0.9 in
Weight	19.75 oz
Width	9.4 in
KVM Max Supported Video Bandwidth	300 MHz
KVM Max Supported Video Resolution	1920 x 1200

011 Control System - Control Box – ATEN - Part Number - VK2100K2-AT-A
(BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

IR/Serial	<p>4 x Programmable IR / Uni-directional RS-232 Port (2 x 4-Pole Terminal Block Connector); IR: TTL level (0 to 5 V)</p> <ul style="list-style-type: none"> – Carrier Frequency: 10KHz~455KHz; Serial: Uni-directional RS-232 (+ - 5 V) – Baud Rate: 300 to 115200 (default: 9600); – Data Bit: 8 (default) or 7; – Stop Bit: 1 (default) or 2; – Parity: None (default), Even or Odd
Serial Port	<p>4 x Programmable Bi-directional RS-232/422/485</p> <p>(4 x DB9 Male Connector, configurable via pin assignments);</p> <ul style="list-style-type: none"> – Baud Rate: 300 to 115200 (default: 9600); – Data Bit: 8 (default) or 7; – Stop Bit: 1 (default) or 2; – Parity: None (default), Even or Odd; – Flow Control: None (default) RTS/CTS <p>2 x Bi-directional RS-232 Port (2 x 3-Pole Terminal Block Connector);</p> <ul style="list-style-type: none"> – Baud Rate: 300 to 115200 (default: 9600); – Data Bit: 8 (default) or 7; – Stop Bit: 1 (default) or 2; – Parity: None (default), even or odd
I/O	<p>4 x Programmable Digital Input / Output Channel (1 x 5-Pole Terminal Block Connector); Digital</p> <p>Output:</p> <p>250 mA sink from 12 VDC</p> <ul style="list-style-type: none"> – VDC Mode
Digital Input	– VDC Mode
Input Voltage Range	0 to 24 VDC;

Programmable Range	1 to 24 VDC; – Dry Contact Mode Pull-up 2k ohms to + 12 VDC
Relay Connector);	4 x Relay Channel (2 x 4-Pole Terminal Block
VDC Block	Normally open, isolated Relays; Contact Rating: Max 24 VDC, 2A 4 x 12 VDC Output Port (2 x 4-Pole Terminal
Ethernet Protocol:	Connector); Power Supply: 12 VDC, 2A Max (shared by 4 ports) 1 x RJ-45 Female, 10/100Base-T, Supported
USB Controller ID	ICMP, TCP/IP, DHCP, HTTPS, SSH, DHCP-enabled. The following default IP settings will be used if no IP is assigned within 30 seconds: IP: 192.168.0.60; Subnet Mask: 255.255.255.0;
Power	Establishes VK2100 connection with the VK6000 (ATEN Configurator) and iPad (ATEN Control System App)
IR Learning	1 x USB Type A
Reset Button	1 x 16-segment Switch
Power Consumption	1 x On/Off Switch
Internal Power	40 Watt
Environmental	100-240 VAC, 50-60 Hz
Operating Temperature	0 – 50°C
Storage Temperature	–20 – 60°C
Humidity	0 - 80% RH, Non-Condensing
Dimensions	(L x W x H) 43.72 x 16.32 x 4.40 cm / (17.21 x
	6.43 x 1.73
	in)
License Basic (free)	2 free licenses
Max. No. Allowed	10 licenses

012 HDMI VGA/Audio HDBASET Transmitter Wall – ATEN - Part Number - VE2812UST (BRAND NAME OR EQUAL)

QUANTITY: 3.00

SPECS:

Video Input Interfaces	1 x HDMI Type A Female (Black) 1 x HDB-15 (VGA) Female (Blue)
Impedance HDMI	100 Ω; HDB-15 (VGA): 75 Ω
Max. Distance	1.8 m

Video Max. Data Rate	10.2Gbps (3.4Gbps per lane)
Max. Pixel Clock	340 MHz
Compliance	HDMI (3D, Deep Color, 4K)
HDCP	Compatible
Max. Resolutions / Distance 6a/ATEN	HDMI: Up to 4K@70m (Cat 5e/6) / 100m (Cat 2L-2910 Cat6); 1080p@100m (Cat 5e/6/6a); VGA: Up to 1920x1200 & 1600x1200@70m (Cat 5e/6) / 100m (Cat 6a/ATEN 2L-2910 Cat6); 1920x1080@100m (Cat 5e/6/6a) 4K supported: 4096 x 2160 / 3840 x 2160 @ 60Hz (4:2:0); 4096 x 2160 / 3840 x 2160 @ 30Hz (4:4:4)
Audio Input	1 x HDMI Type A Female (Black) 1 x Mini Stereo Jack Female (Green)
Connectors Unit To Unit	1 x RJ-45 Female
Power	1 x Terminal Block, 2 pole (Green)
Control	RS-232
Connector	1 x Terminal Block, 3 pole (Green)
Baud Rate	19200, Data Bits:8,
Stop Bits	1, no parity and flow control
IR	1 x Mini Stereo Jack Female (Black)
Video Input Port Selection	1 x Push Button - HDMI, VGA and AUTO
Long Reach Mode Switch	1 x Slide Switch - ON/OFF
Firmware Upgrade	1 x Slide Switch - ON/OFF
Power Consumption	DC5V:3.04W:14.25BTU
Operating Temperature	0 - 40°C
Storage Temperature	-20 - 60°C
Humidity	0 - 80% RH, Non-Condensing

SOUND SYSTEM

**013 4-Channel Power Amplifier (100W/Channel) – QSC – Part Number SPA4-100
(BRAND NAME OR EQUAL)**

QUANTITY: 1.00

SPECS:

Audio Specifications	Amplifier - Response Bandwidth - 20 - 20000 Hz - SNR - 100 dB
Input Impedance	10 kOhm
Input Sensitivity	1.23 V
Amplifier Output Details	100 Watt - 8 Ohm - 4 channels 100 Watt - 4 Ohm - 4 channels 200 Watt - 8 Ohm - 2 channels (bridged) 200 Watt - 4 Ohm - 2 channels (bridged)

350 Watt - 2 channels (70/100V)

**014 Digital Audio Control Console – Tesira – Part Number- TesiraFORTÉ AVB VT
(BRAND NAME OR EQUAL)**

QUANTITY: 1.00

SPECS:

128 x 128 channels of AVB
12 mic/line level inputs with AEC, 8 mic/line level outputs
Gigabit Ethernet port
Up to 8 channels of configurable USB audio
RS-232 serial port
4-pin GPIO
2-line OLED display with capacitive-touch navigation
Rack mountable (1RU)
Internal universal power supply
SIP VoIP interface via a RJ-45 connector
Standard FXO telephone interface via RJ-11 connector
Signal processing via intuitive software

**015 AVB Beam-tracking Ceiling Mic – Tesira – Part Number- TCM-1 (BRAND
NAME OR EQUAL)**

QUANTITY: 2.00

SPECS:

Frequency Response	(150 Hz - 16 kHz): ± 3dB
Polar Pattern	Beam formed
Sensitivity	(94dB SPL, 1kHz): > 70dB
Maximum SPL	(at 0.5% THD): 106dB
Dynamic Range	(THD+N < 10%): 92dB, A-Weighted
Indicators	Mute Indicator (Green/Red LED)
Connector:	Custom 2-pin (cable length 4.9 feet [1.5 meters])

**016 AVB Beam-Ceiling Mic System – Tesira – Part Number- TCM-1EX (BRAND
NAME OR EQUAL)**

QUANTITY: 4.00

SPECS:

Network Connection	RJ-45 with Ethernet cable (Cat 5e and above)
Power:	Custom/Proprietary Connectors Two RJ-45: one between TCM-1EX plenum box and TCM-1 or TCM-1A, the other between TCM-1EX plenum

	box and additional TCM-1EX plenum box; 2-pin 3.5 mm Phoenix connector to TCM-1EX microphone
Max Distance Between Devices	33 feet (10 meters) between TCM plenum boxes
Overall Dimensions	Height: 2 inches (51 mm) Width: 4 inches (102 mm) Depth: 5.25 inches (133 mm)
Operating Temperature Range	32 - 104° F (0 - 40° C)
Humidity	0-95% relative humidity (non-condensing)
Altitude	0-10,000 ft (0-3000m) MSL
Compliance	FCC Part 15B (USA) CE marked (Europe) UL and C-UL
	listed (USA and Canada) RoHS Directive (Europe)

017 AVB Switch Five-port AVB Ethernet Switch – Tesira – Part Number- AVB SWITCH (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

AVB ports	5
Ethernet ports	1
Operational bandwidth	10 / 100 / 1 Gigabit
Front panel	12 x activity LED
Power	8-18V DC 0.5A tip positive

018 Single Gigabit Port Power over Ethernet Plus PoE+ Injector – Part Number - B00B4H00EO (BRAND NAME OR EQUAL)

QUANTITY: 2.00

SPECS:

1 PoE Port and 1 Uplink Port at 10/100/1000Mbps each
Up to 30W of power over ethernet | IEEE 802.3at (IEEE 802.3af backwards-compatible) / end-span

019 Ceiling Speakers – QSC – Part Number- AD-C6T-WH (BRAND NAME OR EQUAL)

QUANTITY: 8.00

SPECS:

LF Transducer woofer	165 mm [6.5 in] weather resistant paper-cone
HF Transducer	25 mm [1 in] aluminum dome tweeter
Rated noise power	Wrms 1 60

Nominal Impedance	ohms 16
Transformer Taps	70V: 60, 30, 15, 7.5 W 100V: 60, 30, 15 W
Effective frequency range	63 Hz – 20 kHz
Rated coverage	(-6 dB): 140° conical DMT
Directivity factor	6.5
Directivity index	8
Sensitivity	dB 88
Maximum continuous SPL [dB]	106
Maximum peak SPL [dB]	112

020 Gooseneck Condenser Microphone with Integrated Desktop Base – SHURE – Part Number- CVG18D (BRAND NAME OR EQUAL)

QUANTITY: 10.00

SPECS:

Cartridge Type	Electret Condenser
Frequency Response	70–16000 Hz
Polar Pattern	Cardioid
Output Impedance	180 Ω
Sensitivity	-33 dBV/Pa (22 mV)
Maximum SPL	120 dB SPL
Signal to Noise Ratio	67 dB
Dynamic Range	93 dB
Self-Noise	27 dB SPL
Common Mode Rejection	>45 dB
Preamplifier Output Clipping Level	-7 dBV
Polarity	Positive pressure on diaphragm produces positive voltage on pin 2 with respect to pin 3
Power Requirements	CVGD: 11–52 V DC, 2.0 mA CVGD/S: 11–52 V DC, 5.5 mA CVGD/RS: 11–52 V DC, 5.0 mA
Operating Temperature Range	-18 °C to 57 °C (0 °F to 135 °F)
Storage Temperature Range	-29 °C to 74 °C (-20 °F to 165 °F)
Relative Humidity	0 to 95%

021 Digital Wireless Vocal Set with Handheld Transmitter – Sennheiser – Part Number- EW D1-835-S (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Frequency Response	20 to 20,000 Hz
Dynamic Range	> 135 dB (A)
Total Harmonic Distortion (THD)	Typ. < 0.1 %
Audio Sampling	24-bit / 48 kHz

Signal-to-Noise Ratio	≥ 105 dB (A)
RF Frequency Range	2,400 to 2,483.5 MHz
Modulation	GFSK with back channel
Transmission Method	TDMA, time diversity, frequency diversity, fast switching antenna diversity
Latency	3.9 ms
Audio Codec	APT-X Live
Operating Temperature	14 to 131°F (-10 to +55°C)
Storage Temperature	-4 to 158°F (-20 to +70°C) (The temperature range is influenced by the battery characteristics)

Transmitter

Frequency Response	50 to 20,000 Hz
RF Output Power	Adaptive, up to 100 mW (country-specific)
Display	LCD
Input Sensitivity	Automatic sensitivity adjustment
Battery	2 x AA size battery (1.5 V)
Operating Time	typical 6 hours

Receiver

Latency	Multi-frequency targets
RF Sensitivity	<- 90 dBm
Audio Output	Mic/line level switch -24 dB/0 dB, XLR, balanced max +18 dBu, jack, unbalanced/balanced max +12 dBu/max +18 dBu
Low-Cut Filter	-3 dB at 120 Hz
Equalizer	7-band graphic equalizer
Automatic Gain Control	Compression/expansion with automatic make-up gain function
Display	OLED
Connection	XLR / 1/4" (6.3 mm) jack
Antenna Connector	2 x Rev-SMA
Network	RJ45
Network Protocol	Media Control Protocol, TCP/IP IPv4 (DHCP, Manual)/IPv6
Power Supply	12 VDC hollow jack
Current Consumption	350 mA

022 Digital Wireless Lavalier Set with ME2-II Lavalier – Sennheiser - Part Number EW D1-ME 2 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Frequency Response	20 to 20,000 Hz
Dynamic Range	> 135 dB (A)

Total Harmonic Distortion (THD)	Typ. < 0.1 %
Audio Sampling	24-bit / 48 kHz
Signal-to-Noise Ratio	≥ 105 dB (A)
RF Frequency Range	2,400 to 2,483.5 MHz
Modulation	GFSK with back channel
Transmission Method	TDMA, time diversity, frequency diversity, fast switching antenna diversity
Latency	3.9 ms
Audio Codec	APT-X Live
Operating Temperature	14 to 131°F (-10 to +55°C)
Storage Temperature	-4 to 158°F (-20 to +70°C) (The temperature range is influenced by the battery characteristics)

Receiver

Latency	Multi-frequency targets
RF Sensitivity	<- 90 dBm
Audio Output	Mic/line level switch -24 dB/0 dB, XLR, balanced max +18 dBu, jack, unbalanced/balanced max +12 dBu/max +18 dBu
Low-Cut Filter	-3 dB at 120 Hz
Equalizer	7-band graphic equalizer
Automatic Gain Control	Compression/expansion with automatic make-up gain function
Display	OLED
Connection	XLR / 1/4" (6.3 mm) jack
Antenna Connector	2 x Rev-SMA
Network	RJ45
Network Protocol	Media Control Protocol, TCP/IP IPv4 (DHCP, Manual)/IPv6
Power Supply	12 VDC hollow jack
Current Consumption	350 mA

Transmitter

RF Output Power	Adaptive, up to 100 mW (country-specific)
Connection	3.5 mm jack socket, lockable Microphone
Frequency Response	50 to 20,000 Hz
Max. Input Level	2.2 V RMS

Line

Frequency Response	20 to 20,000 Hz
Max. Input Level	3.3 V RMS
Input Impedance	1 MOhm
Input Sensitivity	Automatic sensitivity adjustment
Battery	2 x AA size battery (1.5 V)

Operating Time typical 6 hours

Lavalier

Microphone	Pre-polarized condenser
Sensitivity	20 mV/Pa
Polar Pattern	Omnidirectional
Max SPL Level	130 dB SPL

COMPUTER EQUIPMENT / SYSTEM

023 iPad Air – Apple – Part Number- iPad-Air (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

- 9.7" Retina display with 2048 x 1536 resolution with anti-reflective coating
- 16GB internal storage
- A8X second-generation chip with 64-bit desktop-class architecture
- Dual HD cameras for photos and face-to-face chat
- 4G LTE capability
- Dual-antenna Wi-Fi for fewer dropped connections and fast media streaming.

024 Computer Workstations – Gemini – Part Number- iPad-Air (BRAND NAME OR EQUAL)

QUANTITY: 3.00

SPECS:

Processor Core	i7-8700
Hard Drive Bays	(1) 2.5" SFF Bays + (1) 3.5" LFF Bays
RAM	16GB
Operating Systems Supported	Windows 10 Pro
Operating System Drive	256GB SSD
Secondary Drive	1TB Video Surveillance Grade Drive
Network Ports	(1) 1GbE
Power Supply	(1) 180W (100-240VAC)

CABLE / DATA / ACCESSORIES

025 HDMI 50 Ft Cable – C-High - Part Number – 26-650-75 (BRAND NAME OR EQUAL)

QUANTITY: 8.00

SPECS:

- 10.2Gbps data throughput
- 28AWG copper conductors
- Gold plated connectors

Supports the following HDMI features:

- 1080p resolution at 60Hz
- 4K / 5K resolution at 24Hz
- 3D video
- Audio Return Channel
- Deep Color up to 16-bits per channel / x.v. Color
- High Definition Audio, including SA-CD, DVD-Audio, DTS-HD Master Audio, and Dolby True HD

026 RGB 50 Ft Cable – Cmp/le/BATTLEBORN - Part Number – 26-112-03 (BRAND NAME OR EQUAL)

QUANTITY: 8.00

SPECS:

Supports 480i, 480p, 720p, & 1080i video

027 HDMI 15 Ft Cable – C-High - Part Number – B00YNI7G80 (BRAND NAME OR EQUAL)

QUANTITY: 13.00

SPECS:

- 4K HDMI 2.0 Ready
- Connect 4K/HD TV to Blu-Ray/DVD Player, or PC

Supports:

- UHD 4k @ 2160p | 2K HD @ 1080p | 3D Format | QHD @ 1440p | HD 720p
- Ethernet & Audio Return Channel
- Category 2 - HDMI Cable (Compatible with HDMI ports v2.0, v1.4 & v1.3)
- Length: 15 Feet (4.6 Meters)

028 Display Port to HDMI 10 Ft Cable – C-High - Part Number – B008U7SL4C (BRAND NAME OR EQUAL)

QUANTITY: 4.00

SPECS:

- Computer to an HDTV for audio/video streaming or to an HD monitor or projector
- Gold-plated connectors, bare copper conductors, and foil-and-braid shielding for high picture quality and sound
- Video resolutions up to 1920x1200 and 1080p (Full HD) and uncompressed digital audio channels (7.1, 5.1, or 2)

- From DisplayPort to HDMI only (not bi-directional); not compatible with a USB port; measures 3 feet

029 Cable Cat6e – CMR Riser - Part Number – CAT 6e (BRAND NAME OR EQUAL)

QUANTITY: 3.00

SPECS:

600MHz UTP, 24AWG, Bare Copper, 1000 Feet, UL Certified, Ethernet Cable, Blue

030 250-Ft Roll 12-3 Indoor Electrical Copper Wire Ground – Romex Cable - Part Number – AWG NM-B Gauge (BRAND NAME OR EQUAL)

QUANTITY: 5.00

SPECS:

- #12 AWG residential wiring for outlets, switches and other loads
- Copper (CU) Conductors

031 Cable 3.5 mm, Spool of High Quality Wire – Del City - Part Number – SW14A400008F100-P (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

3.5 mm, 14 Gauge

032 12-Gauge, Spool of High Quality Speaker Wire – Pyramid - Part Number – RSW1250 (BRAND NAME OR EQUAL)

QUANTITY: 3.00

SPECS:

12 Gauge

RACK MOUNT COMPONENTS

033 ERK Series Rack, 40 RU, 25"D, w/o Rear Door – Middle Atlantic - Part Number – ERK-4025LRD (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

- Fully welded construction, solid sides
- 2,500 lb. weight capacity
- UL Listed in the US and Canada
- Seismic certified (UBC 1997 & CBC 1998 Zone 4; IBC 2000, IBC 2003, ASCE 7 - 02, NFPA 5000 Seismic Use Group III) for protecting 650 lbs. of essential equipment when used in conjunction with our ERK-Z4 brackets

034 Vented Front Door, 40 RU Racks, 64% Open – Middle Atlantic - Part Number – LVFD-40 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Steel construction, black finish, 64% open area

035 Vented Top, 64% Open, ERK Series – Middle Atlantic - Part Number – ERK-LVT (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Fits WMRK, ERK (35 space and higher), SCRK; includes service plate

036 Leveling Feet, Isolating – Middle Atlantic - Part Number – LF-ISO (BRAND NAME OR EQUAL)

QUANTITY: 4.00

SPECS:

Adjustable feet, include isolating boots

037 Rack Rail, 10-32, 40 RU, ERK Series – Middle Atlantic - Part Number – ERK-RR40 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Heavy-gauge 10-32 threaded rack-rail, sold in pairs

038 Drawer, 3 RU, Anodized – Middle Atlantic - Part Number – D3LK (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Fully enclosed top with spring-loaded latches; includes installed key-lock

039 Vent Panel, 1 RU, Perforated, 64% Open Area – Middle Atlantic - Part Number – VT1 (BRAND NAME OR EQUAL)

QUANTITY: 5.00

SPECS:

Perforated steel flanged panel, 64% open area, flat black powder coat

040 Vent Panel, 2 RU, Perforated, 64% Open Area – Middle Atlantic - Part Number – VT2 (BRAND NAME OR EQUAL)

QUANTITY: 3.00

SPECS:

Perforated steel flanged panel, 64% open area, flat black powder coat

041 Power Strip, 16 Outlet, 20A, Hardwired – Middle Atlantic - Part Number – PDT-2X820 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Amps:	20
Material:	Aluminum
Mounting:	Vertical
Number Of Circuits:	2
Number Of Outlets:	16

042 Rackmount Power, 9 Outlet, 20A, Basic Surge – Middle Atlantic - Part Number – PD-920R (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Amps:	20
Material:	Steel
Mounting:	Horizontal
Volts:	120
Number Of Circuits:	1
Number Of Outlets:	9

043 Lace Strip, 40 RU, 4.75"W, w/Tie Posts, 1 pc. – Middle Atlantic - Part Number – LACE-40-OW-A (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Provides many tie points, with mixed slip-on posts, cage nut and round holes

044 Lace Bar, 6" Offset, L-Shaped, Single pc. – Middle Atlantic - Part Number – LB-6A-A (BRAND NAME OR EQUAL)

QUANTITY: 6.00

SPECS:

Economical horizontal cable lacing and support; offset "L" bar style

045 Lace Bar, 2" Offset, L-Shaped, Single pc. – Middle Atlantic - Part Number – LB-2A-A (BRAND NAME OR EQUAL)

QUANTITY: 4.00

SPECS:

Economical horizontal cable lacing and support; offset "L" bar style

046 Brush Grommet Panel, 2 RU – Middle Atlantic - Part Number – BR2 (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Depth (US):	2.92
Height (US):	3.5
Width (US):	19
Rack Units:	2

047 Plastic Cable Manager, 1 RU, 2"D – Middle Atlantic - Part Number – PHCM-1-2 (BRAND NAME OR EQUAL)

QUANTITY: 2.00

SPECS:

Usable Height:	1.75
Depth (US):	2.672
Height (US):	2

Width (US): 19.25
Rack Units: 1

**048 Utility Rackshelf, 1 RU, 10.4"D, Vented – Middle Atlantic - Part Number – U1V
(BRAND NAME OR EQUAL)**

QUANTITY: 2.00

SPECS:

Usable Depth: 10.41
Capacity Weight (US): 35
Depth (US): 10.78
Height (US): 1.75
Width (US): 19
Rack Units: 1
Static Load Capacity: 35
Material: Steel

**049 Shelf Mount Power, 8 Outlet, 15A, Basic Surge – Middle Atlantic - Part
Number – PD-815SC-PBSH (BRAND NAME OR EQUAL)**

QUANTITY: 1.00

SPECS:

Depth (US): 2.56
Height (US): 1.6
Width (US): 18.6
Cord Length US: 10
Amps: 15
Material: Steel
Mounting: Horizontal
Number Of Circuits: 1
Number Of Outlets: 8

**050 Fan Panel, 100 CFM, 27dB, w/ Remote Thermistor – Middle Atlantic - Part
Number – UQFP-4RT (BRAND NAME OR EQUAL)**

QUANTITY: 1.00

SPECS:

CFM: 100
Depth (US): 1.4
Height (US): 3.5
Width (US): 19
Rack Units: 2
Material: Steel

Volts: 120

051 Rackmount Light, 1 RU, Power Coated – Middle Atlantic - Part Number – LT-1R (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

RoHS:	Yes
Green-guard:	Yes
Depth (US):	9.85
Height (US):	1.75
Width (US):	19
Rack Units:	1

052 Additional Keys, Standard Front Doors – Middle Atlantic - Part Number – SFD-KEY (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Set of two keys, Material: Steel

053 Cable Management Strap, 12 pc. – Middle Atlantic - Part Number – TW12 (BRAND NAME OR EQUAL)

QUANTITY: 4.00

SPECS:

Safely secures cables to tie saddles, lacing strips, and tie points

054 Rack-screws, 10-32, Truss-Head, 100 pc. – Middle Atlantic - Part Number – HP (BRAND NAME OR EQUAL)

QUANTITY: 1.00

SPECS:

Standard truss-head screws fit under trim, 3/4” long with washers

055 One time installation fee for audiovisual equipment, curtains, illumination system, structured cabling for electrical connections and furniture

QUANTITY: 1.00

SPECS:

Installation to standards

056 One time installation fee of Protected UPS Electrical System

QUANTITY: 1.00

SPECS:

Installation to standards

057 TSJ 12/3 electrical cable

QUANTITY: 5.00

Specs:

- 250-foot spool of wire
- SJEV Service Cord, Black, AWG size: 12/3
- Flexible and tough jacket
- Water resistant with high dielectric insulation
- Excellent abrasion, ozone, sunlight, chemical and oil resistance

058 UPS - 5000 watts

QUANTITY: 2.00

Specs

Input	Input Voltage Range 208V
Input Frequency	40 - 70 Hz (auto sensing)
Input Connection	NEMA L6-30P
Output	VA Rating 5000 VA
Watts	4250 Watts
Output Voltage	208V
Output Frequency	50/60 Hz +/- 3 Hz
Outlets	4
Outlet Type	2 x NEMA L6-20R / 2 x NEMA L6-30R
Battery	Battery Recharge Time 1.50 hour(s)
Battery Replaceable	APCRBC140

059 Construction and Installation of small Rack Room with AC Unit

QUANTITY: 1.00

Specs


Metal framing covered with gypsum board, 2.15 mts high x 1 mts wide x 1 mts deep with door enclosure

060 1 Year Maintenance and Services

DRAWING A



DRAWING A1



DRAWING A2



II. DELIVERY LOCATION AND TIME

A. The Contractor shall deliver all ordered items to the following address (exact address will be provided to awardee):

U.S. Embassy Warehouse
Ave. La Paz, Colonia Palmira

The installation service is needed at Ocotal (the exact address will be provided to the company awardee). The contractor shall provide **ALL** items (brand name or equal) listed under **APPENDIX A, TECHNICAL SPECIFICATIONS OF ITEMS** of this RFQ, and ship to the place of delivery specified

B. The Contractor shall deliver all items not later *than* 90 calendar days after date of contract award.

NOTE: Offerors shall include specific details and delivery dates in their responses to this RFQ. All pricing shall reflect USD.

C. Any Contractor personnel involved with the delivery of the items shall comply with standard U.S. Embassy regulations for receiving supplies. The Contracting Officer's Representative (COR) will be responsible for instructing contractor personnel at the time deliveries are made.

PLACE OF DELIVERY

The contractor is responsible for ensuring delivery to the following address:

SHIPPING ADDRESS (specific address will be provided to awardee):

United States Embassy Warehouse
Ave. La Paz, Colonia Palmira
Blvd. Los Proceres

DELIVERY INFORMATION

Delivery Terms: THE VENDOR IS RESPONSIBLE FOR THE DELIVERY OF ALL ITEMS LISTED ABOVE UNDER STATEMENT OF WORK (BRAND NAME OR EQUAL TO).

REQUIRED DELIVERY DATE

90 calendar days after receipt of award. Contractors shall agree, if the proposal is accepted within ninety (90) calendar days (unless a greater period is inserted by the

contractor) from the date specified in the solicitation for receipt of proposals, to furnish any or all of the requirements upon which prices are proposed at the price set opposite each item, performed and/or delivered at the designated point(s) within the time specified.

LOCATION OF WORK

Installation shall take place at the following location: **Anillo Periferico, Aldea El Ocotal**

INFORMATION TO CONTRACTOR.

Contractors are reminded that information furnished under this Request for Quote (RFQ) may be subject to disclosure under the Freedom of Information Act (FOIA). Therefore, all items that are confidential to business or that contain trade secrets or proprietary or personnel information must be clearly marked. Marking of items will not necessarily preclude disclosure when Department of State (DOS) determines disclosure is warranted by FOIA. However, if such items are not marked, all information contained within the submitted documents will be deemed releasable.

Answers to inquiries/questions, if given, shall be provided in writing to all vendors being solicited.

No information concerning this RFQ shall be provided in response to telephone calls.

SUPPLIES AND PRICES

The Contractor shall provide to the U.S. Government the new products as described in the specifications for the stated firm fixed price. Further, the Contractor shall properly perform the pre-delivery inspection on the products and deliver them to the location set forth under Place of Delivery, of this contract. The firm fixed price shall include the products pre-delivery inspection, certificates of origin, operator's manuals, warranty certificates and any other documentation mandated by the destination country.

***** Manuals shall be furnished in English and Spanish languages.**

REPORTS

During contract performance, if a delay arises, the vendor shall prepare a report addressing issues causing the delay (i.e. equipment availability, logistical constraints, or transportation issues). Delay report will be written in English and Spanish and in electronic format and must contain the following:

- Front cover to contain:
 - Report number and date
 - Title and period covered
 - Contract number
 - Contractor's name and address
 - Name of the agency: INL

- Main body to contain:
 - Narrative of the work performed
 - Description of work delays
 - Change of control, if any
 - Conclusion

SOLICITATION CONSIDERATIONS

This is a brand name or equal procurement, Seller certifies that it is an authorized distributor of the similar product being sold to the Department of State and that it has the certification/specialization level required by the manufacturer, to support both the product sale and product pricing, in accordance with applicable manufacturer certification/specialization requirements. Unless otherwise specified, Seller warrants that the products are **NEW** and in their original box(es).

All Quotes must be valid for 90 calendar days from the closing date for this solicitation. No exceptions or qualifications. New equipment ONLY, NO grey market or refurbished products. Items must be in original packaging, never used, and not altered in any way. Components of the requested equipment, to include memory, must be manufacturer-approved and may not be compatible, remanufactured, or refurbished equipment. All items must be covered by manufacturer's warranty and procured through a manufacturer approved distribution channel. Sellers must be able to document their ability to provide items through manufacturer approved distribution channels upon request.

The Seller confirms to have sourced all products submitted in this Quote from manufacturer-approved channels for Federal sales, in accordance with all applicable laws and manufacturer's current applicable policies at the time of purchase. Seller must be able to support both the product sale and product pricing, in accordance with applicable manufacturer certification / specialization requirements. If software is provided or included, Seller shall, upon request, provide Buyer with a copy of the End User License Agreement. Seller certifies that all software is licensed originally to Buyer as the original licensee authorized to use the software.

No partial deliveries are permitted, unless otherwise specified by Contracting Officer at time of award.

Pursuant to the Trade Agreements Act (19 U.S.C. 2512(a)) (TAA), Federal acquisitions of supplies may be made only from offerors that will supply products of an eligible country under any of the free trade agreements entered into pursuant to the TAA. An article is considered a product of a country only if it is wholly a product of that country or if it has been, substantially transformed, in that country into a new and different article of commerce with a name, character, or use distinct from that of the original article(s). Note that any item that is a discreet article as it is sold in commerce, regardless of its ultimate function or use, cannot be considered, substantially transformed, based solely on its integration into IT or other systems.

The Contractor and its employees shall exercise the utmost discretion in regard to all matters relating to their duties and functions. They shall not communicate to any person any information known to them by reason of their performance of services under this contract which has not been made public, except in the necessary performance of their duties or upon written authorization of the Contracting Officer.

All documents and records (including photographs) generated during the performance of work under this contract shall be for the sole use and become the exclusive property of the U.S Government. Furthermore, no article, book, pamphlet, email, recording, broadcast, speech television appearance, film or photograph concerning any aspect of work performed under this contract shall be published or disseminated through any media without the prior written authorization of the Contracting Officer. These obligations do not cease upon the expiration or termination of this contract. The Contractor shall include the substance of this provision in all contracts of employment and in all subcontracts hereunder.

INSPECTION AND ACCEPTANCE

The final inspection and acceptance of ALL items shall be performed by the U.S. Government upon their arrival at the customs facility in Tegucigalpa, Honduras. The payment(s) to the Contractor shall be made following satisfactory inspection and acceptance of products by the Requesting Office.

SECTION 2 - CONTRACT CLAUSES
RFQ NUMBER **19H08020Q0006**

FAR 52.212-4 CONTRACT TERMS AND CONDITIONS – COMMERCIAL ITEMS (OCT 2018), is incorporated by reference.

52.212-5 Contract Terms and Conditions Required To Implement Statutes or Executive Orders - Commercial Items (OCT 2018) and (Deviation 2017-02) (June 2017)

- (a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial items:
- (1) [52.203-19](#), Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (Jan 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).
 - (2) [52.209-10](#), Prohibition on Contracting with Inverted Domestic Corporations (Nov 2015).
 - (3) [52.233-3](#), Protest After Award (Aug 1996) ([31 U.S.C. 3553](#)).
 - (4) [52.233-4](#), Applicable Law for Breach of Contract Claim (Oct 2004)(Public Laws 108-77 and 108-78 ([19 U.S.C. 3805 note](#))).

(b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

[Contracting Officer check as appropriate.]

- ___ (1) [52.203-6](#), Restrictions on Subcontractor Sales to the Government (Sept 2006), with Alternate I (Oct 1995) ([41 U.S.C. 4704](#) and [10 U.S.C. 2402](#)).
- ___ (2) [52.203-13](#), Contractor Code of Business Ethics and Conduct (Oct 2015) ([41 U.S.C. 3509](#))).
- ___ (3) [52.203-15](#), Whistleblower Protections under the American Recovery and Reinvestment Act of 2009 (June 2010) (Section 1553 of Pub. L. 111-5). (Applies to contracts funded by the American Recovery and Reinvestment Act of 2009.)
- X (4) [52.204-10](#), Reporting Executive Compensation and First-Tier Subcontract Awards (Oct 2016) (Pub. L. 109-282) ([31 U.S.C. 6101 note](#)).
- ___ (5) [Reserved].

- ___ (6) [52.204-14](#), Service Contract Reporting Requirements (Oct 2016) (Pub. L. 111-117, section 743 of Div. C).
- ___ (7) [52.204-15](#), Service Contract Reporting Requirements for Indefinite-Delivery Contracts (Oct 2016) (Pub. L. 111-117, section 743 of Div. C).
- X (8) [52.209-6](#), Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment. (Oct 2015) (31 U.S.C. 6101 note).
- ___ (9) [52.209-9](#), Updates of Publicly Available Information Regarding Responsibility Matters (Jul 2013) (41 U.S.C. 2313).
- ___ (10) [Reserved].
- ___ (11)(i) [52.219-3](#), Notice of HUBZone Set-Aside or Sole-Source Award (Nov 2011) ([15 U.S.C. 657a](#)).
- ___ (ii) Alternate I (Nov 2011) of [52.219-3](#).
- ___ (12)(i) [52.219-4](#), Notice of Price Evaluation Preference for HUBZone Small Business Concerns (Oct 2014) (if the offeror elects to waive the preference, it shall so indicate in its offer) ([15 U.S.C. 657a](#)).
- ___ (ii) Alternate I (Jan 2011) of [52.219-4](#).
- ___ (13) [Reserved]
- ___ (14)(i) [52.219-6](#), Notice of Total Small Business Set-Aside (Nov 2011) ([15 U.S.C. 644](#)).
- ___ (ii) Alternate I (Nov 2011).
- ___ (iii) Alternate II (Nov 2011).
- ___ (15)(i) [52.219-7](#), Notice of Partial Small Business Set-Aside (June 2003) ([15 U.S.C. 644](#)).
- ___ (ii) Alternate I (Oct 1995) of [52.219-7](#).
- ___ (iii) Alternate II (Mar 2004) of [52.219-7](#).
- ___ (16) [52.219-8](#), Utilization of Small Business Concerns (Nov 2016) ([15 U.S.C. 637\(d\)\(2\)](#) and (3)).
- ___ (17)(i) [52.219-9](#), Small Business Subcontracting Plan (Jan 2017) ([15 U.S.C. 637\(d\)\(4\)](#)).
- ___ (ii) Alternate I (Nov 2016) of [52.219-9](#).
- ___ (iii) Alternate II (Nov 2016) of [52.219-9](#).
- ___ (iv) Alternate III (Nov 2016) of [52.219-9](#).
- ___ (v) Alternate IV (Nov 2016) of [52.219-9](#).
- ___ (18) [52.219-13](#), Notice of Set-Aside of Orders (Nov 2011) ([15 U.S.C. 644\(r\)](#)).
- ___ (19) [52.219-14](#), Limitations on Subcontracting (Jan 2017) ([15 U.S.C. 637\(a\)\(14\)](#)).

- __ (20) [52.219-16](#), Liquidated Damages.Subcon-tracting Plan (Jan 1999) ([15 U.S.C. 637\(d\)\(4\)\(F\)\(i\)](#)).
- __ (21) [52.219-27](#), Notice of Service-Disabled Veteran-Owned Small Business Set-Aside (Nov 2011) ([15 U.S.C. 657 f](#)).
- __ (22) [52.219-28](#), Post Award Small Business Program Representation (Jul 2013) ([15 U.S.C. 632\(a\)\(2\)](#)).
- __ (23) [52.219-29](#), Notice of Set-Aside for, or Sole Source Award to, Economically Disadvantaged Women-Owned Small Business Concerns (Dec 2015) ([15 U.S.C. 637\(m\)](#)).
- __ (24) [52.219-30](#), Notice of Set-Aside for, or Sole Source Award to, Women-Owned Small Business Concerns Eligible Under the Women-Owned Small Business Program (Dec 2015) ([15 U.S.C. 637\(m\)](#)).
- __ (25) [52.222-3](#), Convict Labor (June 2003) (E.O. 11755).
- X (26) [52.222-19](#), Child Labor. Cooperation with Authorities and Remedies (Oct 2016) (E.O. 13126).
- __ (27) [52.222-21](#), Prohibition of Segregated Facilities (Apr 2015).
- __ (28) [52.222-26](#), Equal Opportunity (Sept 2016) (E.O. 11246).
- __ (29) [52.222-35](#), Equal Opportunity for Veterans (Oct 2015)([38 U.S.C. 4212](#)).
- __ (30) [52.222-36](#), Equal Opportunity for Workers with Disabilities (Jul 2014) ([29 U.S.C. 793](#)).
- __ (31) [52.222-37](#), Employment Reports on Veterans (Feb 2016) (38 U.S.C. 4212).
- __ (32) [52.222-40](#), Notification of Employee Rights Under the National Labor Relations Act (Dec 2010) (E.O. 13496).
- X (33)(i) [52.222-50](#), Combating Trafficking in Persons (Mar 2015) ([22 U.S.C. chapter 78](#) and E.O. 13627).
- __ (ii) Alternate I (Mar 2015) of [52.222-50](#) ([22 U.S.C. chapter 78](#) and E.O. 13627).
- __ (34) [52.222-54](#), Employment Eligibility Verification (Oct 2015). (Executive Order 12989). (Not applicable to the acquisition of commercially available off-the-shelf items or certain other types of commercial items as prescribed in [22.1803](#).)
- __ (35)(i) [52.223-9](#), Estimate of Percentage of Recovered Material Content for EPA– Designated Items (May 2008) ([42 U.S.C. 6962\(c\)\(3\)\(A\)\(ii\)](#)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
- __ (ii) Alternate I (May 2008) of [52.223-9](#) ([42 U.S.C. 6962\(i\)\(2\)\(C\)](#)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
- __ (36) [52.223-11](#), Ozone-Depleting Substances and High Global Warming Potential Hydrofluorocarbons (Jun 2016) (E.O. 13693).

- ___ (37) [52.223-12](#), Maintenance, Service, Repair, or Disposal of Refrigeration Equipment and Air Conditioners (Jun 2016) (E.O. 13693).
- ___ (38)(i) [52.223-13](#), Acquisition of EPEAT®-Registered Imaging Equipment (Jun 2014) (E.O.s 13423 and 13514).
- ___ (ii) Alternate I (Oct 2015) of [52.223-13](#).
- ___ (39)(i) [52.223-14](#), Acquisition of EPEAT®-Registered Televisions (Jun 2014) (E.O.s 13423 and 13514).
- ___ (ii) Alternate I (Jun 2014) of [52.223-14](#).
- ___ (40) [52.223-15](#), Energy Efficiency in Energy-Consuming Products (Dec 2007) ([42 U.S.C. 8259b](#)).
- ___ (41)(i) [52.223-16](#), Acquisition of EPEAT®-Registered Personal Computer Products (Oct 2015) (E.O.s 13423 and 13514).
- ___ (ii) Alternate I (Jun 2014) of [52.223-16](#).
- X (42) [52.223-18](#), Encouraging Contractor Policies to Ban Text Messaging While Driving (Aug 2011) (E.O. 13513).
- ___ (43) [52.223-20](#), Aerosols (Jun 2016) (E.O. 13693).
- ___ (44) [52.223-21](#), Foams (Jun 2016) (E.O. 13693).
- ___ (45)(i) [52.224-3](#), Privacy Training (JAN 2017) (5 U.S.C. 552a).
- ___ (ii) Alternate I (JAN 2017) of [52.224-3](#).
- ___ (46) [52.225-1](#), Buy American.Supplies (May 2014) ([41 U.S.C. chapter 83](#)).
- ___ (47)(i) [52.225-3](#), Buy American.Free Trade Agreements.Israeli Trade Act (May 2014) ([41 U.S.C. chapter 83](#), [19 U.S.C. 3301](#) note, [19 U.S.C. 2112](#) note, [19 U.S.C. 3805](#) note, [19 U.S.C. 4001](#) note, Pub. L. 103-182, 108-77, 108-78, 108-286, 108-302, 109-53, 109-169, 109-283, 110-138, 112-41, 112-42, and 112-43).
- ___ (ii) Alternate I (May 2014) of [52.225-3](#).
- ___ (iii) Alternate II (May 2014) of [52.225-3](#).
- ___ (iv) Alternate III (May 2014) of [52.225-3](#).
- ___ (48) [52.225-5](#), Trade Agreements (Oct 2016) ([19 U.S.C. 2501](#), et seq., [19 U.S.C. 3301](#) note).
- X (49) [52.225-13](#), Restrictions on Certain Foreign Purchases (June 2008) (E.O.'s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
- ___ (50) [52.225-26](#), Contractors Performing Private Security Functions Outside the United States (Oct 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; [10 U.S.C. 2302 Note](#)).
- ___ (51) [52.226-4](#), Notice of Disaster or Emergency Area Set-Aside (Nov 2007) ([42 U.S.C. 5150](#)).

- ___ (52) [52.226-5](#), Restrictions on Subcontracting Outside Disaster or Emergency Area (Nov 2007) ([42 U.S.C. 5150](#)).
- _X_ (53) [52.232-29](#), Terms for Financing of Purchases of Commercial Items (Feb 2002) ([41 U.S.C. 4505](#), [10 U.S.C. 2307\(f\)](#)).
- ___ (54) [52.232-30](#), Installment Payments for Commercial Items (Jan 2017) ([41 U.S.C. 4505](#), [10 U.S.C. 2307\(f\)](#)).
- ___ (55) [52.232-33](#), Payment by Electronic Funds Transfer.System for Award Management (Jul 2013) ([31 U.S.C. 3332](#)).
- _X_ (56) [52.232-34](#), Payment by Electronic Funds Transfer.Other than System for Award Management (Jul 2013) ([31 U.S.C. 3332](#)).
- ___ (57) [52.232-36](#), Payment by Third Party (May 2014) ([31 U.S.C. 3332](#)).
- ___ (58) [52.239-1](#), Privacy or Security Safeguards (Aug 1996) ([5 U.S.C. 552a](#)).
- ___ (59) [52.242-5](#), Payments to Small Business Subcontractors (Jan 2017)([15 U.S.C. 637\(d\)\(12\)](#)).
- ___ (60)(i) [52.247-64](#), Preference for Privately Owned U.S.-Flag Commercial Vessels (Feb 2006) ([46 U.S.C. Appx. 1241\(b\)](#) and [10 U.S.C. 2631](#)).
- ___ (ii) Alternate I (Apr 2003) of [52.247-64](#).
- (c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial services, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:
- [Contracting Officer check as appropriate.]
- ___ (1) [52.222-17](#), Nondisplacement of Qualified Workers (May 2014)(E.O. 13495).
- ___ (2) [52.222-41](#), Service Contract Labor Standards (May 2014) ([41 U.S.C. chapter 67](#)).
- ___ (3) [52.222-42](#), Statement of Equivalent Rates for Federal Hires (May 2014) ([29 U.S.C. 206](#) and [41 U.S.C. chapter 67](#)).
- ___ (4) [52.222-43](#), Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (Multiple Year and Option Contracts) (May 2014) ([29 U.S.C. 206](#) and [41 U.S.C. chapter 67](#)).
- ___ (5) [52.222-44](#), Fair Labor Standards Act and Service Contract Labor Standards.Price Adjustment (May 2014) ([29 U.S.C. 206](#) and [41 U.S.C. chapter 67](#)).
- ___ (6) [52.222-51](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment.Requirements (May 2014) ([41 U.S.C. chapter 67](#)).
- ___ (7) [52.222-53](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services.Requirements (May 2014) ([41 U.S.C. chapter 67](#)).
- ___ (8) [52.222-55](#), Minimum Wages Under Executive Order 13658 (Dec 2015).

___ (9) [52.222-62](#), Paid Sick Leave Under Executive Order 13706 (JAN 2017) (E.O. 13706).

___ (10) [52.226-6](#), Promoting Excess Food Donation to Nonprofit Organizations (May 2014) ([42 U.S.C. 1792](#)).

___ (11) [52.237-11](#), Accepting and Dispensing of \$1 Coin (Sept 2008) ([31 U.S.C. 5112\(p\)\(1\)](#)).

(d) Comptroller General Examination of Record. The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at [52.215-2](#), Audit and Records.Negotiation.

(1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.

(2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR [subpart 4.7](#), Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.

(3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.

(e)(1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in this paragraph (e)(1) in a subcontract for commercial items. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause.

(i) [52.203-13](#), Contractor Code of Business Ethics and Conduct (Oct 2015) ([41 U.S.C. 3509](#)).

(ii) [52.203-19](#), Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (Jan 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).

- (iii) [52.219-8](#), Utilization of Small Business Concerns (Nov 2016) ([15 U.S.C. 637\(d\)\(2\)](#) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$700,000 (\$1.5 million for construction of any public facility), the subcontractor must include [52.219-8](#) in lower tier subcontracts that offer subcontracting opportunities.
- (iv) [52.222-17](#), Nondisplacement of Qualified Workers (May 2014) (E.O. 13495). Flow down required in accordance with paragraph (l) of FAR clause [52.222-17](#).
- (v) [52.222-21](#), Prohibition of Segregated Facilities (Apr 2015)
- (vi) [52.222-26](#), Equal Opportunity (Sept 2016) (E.O. 11246).
- (vii) [52.222-35](#), Equal Opportunity for Veterans (Oct 2015) ([38 U.S.C. 4212](#)).
- (viii) [52.222-36](#), Equal Opportunity for Workers with Disabilities (Jul 2014) ([29 U.S.C. 793](#)).
- (ix) [52.222-37](#), Employment Reports on Veterans (Feb 2016) ([38 U.S.C. 4212](#))
- (x) [52.222-40](#), Notification of Employee Rights Under the National Labor Relations Act (Dec 2010) (E.O. 13496). Flow down required in accordance with paragraph (f) of FAR clause [52.222-40](#).
- (xi) [52.222-41](#), Service Contract Labor Standards (May 2014) ([41 U.S.C. chapter 67](#)).
- (xii)
 - __ (A) [52.222-50](#), Combating Trafficking in Persons (Mar 2015) ([22 U.S.C. chapter 78](#) and E.O 13627).
 - __ (B) Alternate I (Mar 2015) of [52.222-50](#) ([22 U.S.C. chapter 78 and E.O 13627](#)).
- (xiii) [52.222-51](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (May 2014) ([41 U.S.C. chapter 67](#)).
- (xiv) [52.222-53](#), Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (May 2014) ([41 U.S.C. chapter 67](#)).
- (xv) [52.222-54](#), Employment Eligibility Verification (Oct 2015) (E.O. 12989).
- (xvi) [52.222-55](#), Minimum Wages Under Executive Order 13658 (Dec 2015).
- (xvii) [52.222-62](#), Paid Sick Leave Under Executive Order 13706 (Jan 2017) (E.O. 13706).
- (xviii)(A) [52.224-3](#), Privacy Training (Jan 2017) (5 U.S.C. 552a).
(B) Alternate I (Jan 2017) of [52.224-3](#).
- (xix) [52.225-26](#), Contractors Performing Private Security Functions Outside the United States (Oct 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; [10 U.S.C. 2302 Note](#)).

(xx) [52.226-6](#), Promoting Excess Food Donation to Nonprofit Organizations (May 2014) ([42 U.S.C. 1792](#)). Flow down required in accordance with paragraph (e) of FAR clause [52.226-6](#).

(xxi) [52.247-64](#), Preference for Privately Owned U.S.-Flag Commercial Vessels (Feb 2006) ([46 U.S.C. Appx. 1241\(b\)](#) and [10 U.S.C. 2631](#)). Flow down required in accordance with paragraph (d) of FAR clause [52.247-64](#).

(2) While not required, the Contractor may include in its subcontracts for commercial items a minimal number of additional clauses necessary to satisfy its contractual obligations.

(End of clause)

ADDENDUM TO CONTRACT CLAUSES FAR AND DOSAR CLAUSES NOT PRESCRIBED IN PART 12

52.252-2 CLAUSES INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at:

<http://acquisition.gov/far/index.html> or <http://farsite.hill.af.mil/vffara.htm>

These addresses are subject to change. If the Federal Acquisition Regulation (FAR) is not available at the locations indicated above, use the Department of State Acquisition website at <https://www.ecfr.gov/cgi-bin/text-idx?SID=2e978208d0d2aa44fb9502725ecac4e5&mc=true&tpl=/ecfrbrowse/Title48/48chapter6.tpl> to see the links to the FAR. You may also use an Internet “search engine” (for example, Google, Yahoo or Excite) to obtain the latest location of the most current FAR.

The following Federal Acquisition Regulation clauses are incorporated by reference:

<u>CLAUSE</u>	<u>TITLE AND DATE</u>
52.203-17	CONTRACTOR EMPLOYEE WHISTLEBLOWER RIGHTS AND REQUIREMENT TO INFORM EMPLOYEES OF WHISTLEBLOWER RIGHTS (APR 2014)
52.204-13	SYSTEM FOR AWARD MANAGEMENT MAINTENANCE (OCT 2018)
52.204-18	COMMERCIAL AND GOVERNMENT ENTITY CODE MAINTENANCE (OCT 2018)
52.225-14	INCONSISTENCY BETWEEN ENGLISH VERSION AND TRANSLATION OF CONTRACT (FEB 2000)

52.228-5 INSURANCE - WORK ON A GOVERNMENT INSTALLATION (JAN 1997)

52.229-6 FOREIGN FIXED PRICE CONTRACTS (FEB 2013)

52.232-39 UNENFORCEABILITY OF UNAUTHORIZED OBLIGATIONS (JUNE 2013)

The following DOSAR clauses are provided in full text:

CONTRACTOR IDENTIFICATION (JULY 2008)

Contract performance may require contractor personnel to attend meetings with government personnel and the public, work within government offices, and/or utilize government email.

Contractor personnel must take the following actions to identify themselves as non-federal employees:

- 1) Use an email signature block that shows name, the office being supported and company affiliation (e.g. “John Smith, Office of Human Resources, ACME Corporation Support Contractor”);
- 2) Clearly identify themselves and their contractor affiliation in meetings;
- 3) Identify their contractor affiliation in Departmental e-mail and phone listings whenever contractor personnel are included in those listings; and
- 4) Contractor personnel may not utilize Department of State logos or indicia on business cards.

(End of clause)

652.232-70 PAYMENT SCHEDULE AND INVOICE SUBMISSION (FIXED-PRICE)
(AUG 1999)

(a) General. The Government shall pay the Contractor as full compensation for all work required, performed, and accepted under this contract the firm fixed-price stated in this contract.

(b) Invoice Submission. The Contractor shall submit invoice to the following email address: facturastgu@state.gov To constitute a proper invoice, the invoice shall include all the items required by FAR 32.905(e).

652.242-73 AUTHORIZATION AND PERFORMANCE (AUG 1999)

(a) The Contractor warrants the following:

(1) That is has obtained authorization to operate and do business in the country or countries in which this contract will be performed;

(2) That is has obtained all necessary licenses and permits required to perform this contract; and,

(3) That it shall comply fully with all laws, decrees, labor standards, and regulations of said country or countries during the performance of this contract.

(b) If the party actually performing the work will be a subcontractor or joint venture partner, then such subcontractor or joint venture partner agrees to the requirements of paragraph (a) of this clause.

652.229-70 EXCISE TAX EXEMPTION STATEMENT FOR CONTRACTORS
WITHIN THE UNITED STATES (JUL 1988)

This is to certify that the item(s) covered by this contract is/are for export solely for the use of the U.S. Foreign Service Post identified in the contract schedule.

The Contractor shall use a photocopy of this contract as evidence of intent to export. Final proof of exportation may be obtained from the agent handling the shipment. Such proof shall be accepted in lieu of payment of excise tax.

(End of clause)

SECTION 3 - SOLICITATION PROVISIONS

FAR 52.212-1 INSTRUCTIONS TO OFFERORS -- COMMERCIAL ITEMS
(OCT 2018), is incorporated by reference (see SF-18)

ADDENDUM TO 52.212-1

None

Instructions to Offeror. Each offer must consist of the following:

1. A completed solicitation, in which the SF-18 cover page and Section 1 has been filled out and includes offer validity of at least 90 calendar days.
2. List of clients over the past 3 years, demonstrating prior experience with relevant past performance information and references.
3. Evidence that the offeror/quoter can provide the necessary personnel, equipment, and financial resources needed to perform the work;
4. Evidence that the offeror/quoter has all licenses and permits required by local including; Permiso de Operación (current), RTN (current).
5. Proof of technical certification and/or licenses related to the specific field of the equipment included in this solicitation to guarantee its professional installation and functionality. (must provide copies of certificates)
6. Active SAM status, provide DUNS number for verification.
7. Acknowledgment of solicitation amendments, if any.

52.214-34 Submission of Offers in the English Language (APR 1991)

Offers submitted in response to this solicitation shall be in the English language. Offers received in other than English shall be rejected.

ADDENDUM TO SOLICITATION PROVISIONS
FAR AND DOSAR PROVISIONS NOT PRESCRIBED IN PART 12

52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE
(FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at:

<http://acquisition.gov/far/index.html> or <http://farsite.hill.af.mil/search.htm>.

These addresses are subject to change. IF the FAR is not available at the locations indicated above, use of an Internet “search engine” (for example, Google, Yahoo or Excite) is suggested to obtain the latest location of the most current FAR provisions.

The following Federal Acquisition Regulation solicitation provisions are incorporated by reference:

<u>PROVISION</u>	<u>TITLE AND DATE</u>
52.204-7	SYSTEM FOR AWARD MANAGEMENT (OCT 2018)
52.204-16	COMMERCIAL AND GOVERNMENT ENTITY CODE REPORTING (JUL 2016)
52.209-7	INFORMATION REGARDING RESPONSIBILITY MATTERS (FEB 2012)
52.214-34	SUBMISSION OF OFFERS IN THE ENGLISH LANGUAGE (APR 1991)
52.225-25	PROHIBITION ON CONTRACTING WITH ENTITIES ENGAGING IN CERTAIN ACTIVITIES OR TRANSACTIONS RELATING TO IRAN—REPRESENTATION AND CERTIFICATIONS (DEC 2012)
52.237-1	SITE VISIT (APR 1984)

A Site Visit has been scheduled for **February 12, 2020 at 09:00 a.m.** at Anillo Periferico, Aldea El Ocotol. The full address will be provided only to the participants. To attend, please submit full names and ID numbers and send them to: proctgu@state.gov by **2:00 p.m. on February 10, 2020 making reference to RFQ 19H08020Q0006.**

SECTION 4 - EVALUATION FACTORS
RFQ NUMBER **19H08020Q0006**

- Award will be made to the lowest priced, acceptable, responsible quoter. The quoter shall submit a completed solicitation.
- The Government reserves the right to reject proposals that are unreasonably low or high in price.
- The lowest price will be determined by multiplying the offered prices times the estimated quantities in “Prices - Continuation of SF-18” and arriving at a grand total.
- The Government will determine quoter acceptability will be determined by assessing the quoter's compliance with the terms of the RFQ.
- The Government will determine quoter responsibility by analyzing whether the apparent successful quoter complies with the requirements of FAR 9.1, including:
 - adequate financial resources or the ability to obtain them;
 - ability to comply with the required performance period, taking into consideration all existing commercial and governmental business commitments;
 - satisfactory record of integrity and business ethics;
 - necessary organization, experience, and skills or the ability to obtain them;
 - necessary equipment and facilities or the ability to obtain them; and
 - be otherwise qualified and eligible to receive an award under applicable laws and regulations.